



2023 v1.0



# HIGH PERFORMANCE LED LIGHTING



Image taken by Scott Mason Southern Sky Images

Australia's highest performing LED driving lights and light bars, designed and manufactured right here in Australia.



LIVE  
THE  
LIFE!



Image taken by Scott Mason Southern Sky Images



Image taken by Adam Edwards Photography





## Table of contents

02 - 08

### Raptor

- 70 & 120W LED DRIVING LIGHTS
- 9-50 inch LED LIGHT BARS
- INTEGRATION KITS

18 - 22

### Atom

- 25, 40 & 60W LED WORK LAMPS
- BLUE, RED & 3000K LIGHTING

09 - 17

### Nitro

- 80,140 & 180W LED DRIVING LIGHTS
- 7-46 inch LED LIGHT BARS

23 - 24

### Accessories



## Setting the Standard in Performance

Our Raptor Range of Driving Lights and Light Bars set the standard in performance. From weekend warriors who like to tear up the trails and escape it all, to avid adventurers who are heading off on an epic journey across Australia, our Raptor range offers top quality performance for incredible value. With premium features such as a superior optic design that produces excellent distance and width and high pressure die-cast aluminium housing and high impact poly-carbonate lenses, they really do have it all. Our products are designed and manufactured right here in Australia, so we know what it takes to withstand Australia's harshest conditions – the Raptor range is ready for anything.

To make sure you are never left in the dark, the Raptor range come standard in 5700k, but as an option there is also 4000k warm white available which is great for dusty, foggy and snowy conditions. The entire Raptor range come with a 3-year warranty for your peace of mind, with a lifetime warranty on the stainless steel tig welded bracket you have the perfect package for your rig to give you the power to light up the way!





The RAPTOR 70W LED driving lights feature a high pressure die-cast aluminium housing and high impact polycarbonate lenses. The superior optic design gives a combination beam with both good distance and width from one lamp type. All RAPTOR lamps come complete with a protective lens cover and easy-adjust mounting bracket. To make sure you get the right option for your own driving comfort, the lamps are available with either 4000k or 5700k Colour Temperature.


## 70w Driving Lights




### Specifications

Product	RAPTOR 70 DRIVING LIGHTS
Wattage	70 Watt (per light)
Light Source	12 x 6W LED's (per light)
Light Output - Raw	16,400 Lumens (per pair)
Light Output - Effective	13,284 Lumens (per pair)
Voltage	9-36V
Current Draw	5A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP68
Connector Type	2 Pin std Deutsch
Housing	Die Cast Aluminium
Lens Construction	Polycarbonate
Bracket	Stainless Steel
Colour	4000K or 5700K
Lifespan	50,000 Hours
Dimensions	170mm
Net Weight	1.3kg (per light)
EMC Rating	CISPR 25 Class 3
Beams Available	Combo
Warranty	3 Years
Harness	Yes - PVQ12HD Included

PART NUMBER / SRP	
Combo 4000K	RAP070DL4V2/PR - \$599 (per pair)
Combo 5700K	RAP070DLV2/PR - \$599 (per pair)



70 Watt  
**800m**  
USABLE LIGHT




## 120w Driving Lights




### Specifications

Product	RAPTOR 120 DRIVING LIGHTS
Wattage	120 Watt (per light)
Light Source	19 x 6W LED's (per light)
Light Output - Raw	29,400 Lumens (per pair)
Light Output - Effective	24,818 Lumens (per pair)
Voltage	9-36V
Current Draw	8.8A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP68
Connector Type	2 Pin std Deutsch
Housing	Die Cast Aluminium
Lens Construction	Polycarbonate
Bracket	Stainless Steel
Colour	4000K or 5700K
Lifespan	50,000 Hours
Dimensions	220mm
Net Weight	2.7kg (per light)
EMC Rating	CISPR 25 Class 3
Beams Available	Combo
Warranty	3 Years
Harness	Yes - PVQ12HD Included

PART NUMBER / SRP	
Combo 4000K	RAP120DL4V2/PR - \$829 (per pair)
Combo 5700K	RAP120DLV2/PR - \$829 (per pair)



120 Watt  
**1000m**  
USABLE LIGHT





Light Bars

The RAPTOR LED Light Bars feature high pressure extruded aluminium housing and high impact polycarbonate lens. The superior optic design gives a combination beam with both good distance and width from one lamp type. All RAPTOR lamps come complete with easy-adjust mounting brackets. Being manufactured in Australia, and covered by a 3 Year Warranty gives total peace of mind.



NUMBER PLATE LIGHT BAR KITS



PART NUMBER / SRP

RAP060NPKITv2/B - 5700K - \$409  
RAP060NPKIT4v2/B - 4000K - \$409

Specifications

Product	30 LIGHT BAR	60 LIGHT BAR	90 LIGHT BAR
Wattage	30 Watt	60 Watt	90 Watt
Light Source	6 x 5W LED's	12 x 5W LED's	18 x 5W LED's
Light Output - Raw	3,600 Lumens	7,200 Lumens	10,800 Lumens
Light Output - Effective	2,895 Lumens	6,088 Lumens	8,650 Lumens
Voltage	9-36V	9-36V	9-36V
Current Draw	2.2A@ 13.5V	4.5A @ 13.5V	6.7A @ 13.5V
Operating Temp	-40 to 80 Deg C	-40°C to +80°C	-40°C to +80°C
Waterproof Rating	IP67	IP67	IP67
Connector Type	2 Pin std Deutsch	2 Pin std Deutsch	2 Pin std Deutsch
Housing	Aluminium	Aluminium	Aluminium
Lens Construction	Polycarbonate	Polycarbonate	Polycarbonate
Bracket	Stainless Steel	Stainless Steel	Stainless Steel
Colour	4000K or 5700K	4000K or 5700K	4000K or 5700K
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours
Dimensions	213mm (8.5")	367mm (14.5")	523mm (20.5")
Net Weight	640g	1.3kg	1.8kg
EMC Rating	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3
Mounting Suitable	Side	Side	Side
Beams Available	Combo or Spread	Combo or Spread	Combo or Spread
Warranty	3 Years	3 Years	3 Years
Harness (not included)	DV12H	DV12H	DV12H


PART NUMBER / SRP			
Combo 4000K	RAP030LB4v2 - \$199	RAP060LB4v2 - \$299	RAP090LB4v2 - \$409
Combo 5700K	RAP030LBv2 - \$199	RAP060LBv2 - \$299	RAP090LBv2 - \$409
Spread 5700K	RAP030LBSv2 - \$199	RAP060LBSv2 - \$299	RAP090LBSv2 - \$409

WIRING HARNESS	DV12H - \$45	DV12H - \$45	DV12H - \$45
----------------	--------------	--------------	--------------



PART NUMBER / SRP

RAP090NPKITv2/B - 5700K - \$539  
RAP090NPKIT4v2/B - 4000K - \$539



Light Bars



3m lead included with all Raptor 180, 210 & 240 light bars.

Specifications


Product	120 LIGHT BAR	180 LIGHT BAR	210 LIGHT BAR	240 LIGHT BAR
Wattage	120 Watt	180 Watt	210 Watt	240 Watt
Light Source	24 x 5W LED's	36 x 5W LED's	42 x 5W LED's	48 x 5W LED's
Light Output - Raw	14,400 Lumens	21,600 Lumens	25,000 Lumens	28,850 Lumens
Light Output - Effective	11,500 Lumens	17,300 Lumens	20,185 Lumens	23,070 Lumens
Voltage	9-36V	9-36V	9-36V	9-36V
Current Draw	8.9A @ 13.5V	13A @ 13.5V	15.5A @ 13.5V	19A @ 13.5V
Operating Temp	-40°C to +80°C	-40°C to +80°C	-40°C to +80°C	-40°C to +80°C
Waterproof Rating	IP67	IP67	IP67	IP67
Connector Type	2 Pin std Deutsch	2 pin HD Deutsch	2 pin HD Deutsch	2 pin HD Deutsch
Housing	Aluminium	Aluminium	Aluminium	Aluminium
Lens Construction	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Bracket	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Colour	4000K or 5700K	4000K or 5700K	4000K or 5700K	4000K or 5700K
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Dimensions	679mm (26.5")	991mm (39")	1147mm (45")	1303mm (51")
Net Weight	2.3kg	3.0kg	3.4kg	3.7kg
EMC Rating	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3
Mounting Suitable	Side	Side	Side	Side
Beams Available	Combo or Spread	Combo or Spread	Combo or Spread	Combo or Spread
Warranty	3 Years	3 Years	3 Years	3 Years
Harness (not included)	DV12H	DV12HD	DV12HD	DV12HD

PART NUMBER / SRP				
Combo 4000K	RAP120LB4v2 - \$509	RAP180LBRR4v2 - \$709	RAP210LBRR4v2 - \$809	RAP240LBRR4v2 - \$899
Combo 5700K	RAP120LBv2 - \$509	RAP180LBRRv2 - \$709	RAP210LBRRv2 - \$809	RAP240LBRRv2 - \$899
Spread 5700K	RAP120LBSv2 - \$509	RAP180LBRRSv2 - \$709	RAP210LBRRSv2 - \$809	RAP240LBRRSv2 - \$899

WIRING HARNESS	DV12H - \$45	DV12HD - \$65	DV12HD - \$65	DV12HD - \$65
----------------	--------------	---------------	---------------	---------------



Head to our website to see our Light Bar Brackets which suit most popular Roof Platform Systems.






Beam Patterns


30 Watt

320m  
USABLE LIGHT  
Spot lens




60 Watt

450m  
USABLE LIGHT  
Spot lens




90 Watt

550m  
USABLE LIGHT  
Spot lens




120 Watt

630m  
USABLE LIGHT  
Spot lens




180 Watt

650m  
USABLE LIGHT  
Spread lens




210 Watt

700m  
USABLE LIGHT  
Spread lens



240 Watt

800m  
USABLE LIGHT  
Spread lens



Seamlessly combine the power of Ultra Vision and your vehicle.

Our new range of integrated lights are designed to give you increased safety and vision at night with the performance you expect from Ultra Vision, offering a bespoke mounting option that seamlessly blends in to the look of your vehicle.

Made right here in Australia, the kit features two Raptor Integrator Light Bars, wiring harness, fitting guide, fully adjustable nylon brackets made to withstand the toughest Aussie conditions, plus anti-theft fixing nuts securing the lights to your vehicle. This seamless solution is also backed by a 5-year warranty.

Designed and built to suit your specific model, there's no need to fit expensive bull or nudge bars, allowing you to keep the aesthetics of your vehicle while getting the power you need to light up the night.



Pictured: Ford Ranger XLT (July 2018-2022) & Ford Ranger FX4 Integration Kit (NOW AVAILABLE)

Specifications

Product	RAPTOR INTEGRATION KIT
Wattage	80 Watts
Light Source	12 x High Power LED's
Light Output - Raw	8,560 Lumens
Light Output - Effective	6,360 Lumens
Voltage	9-36V
Current Draw	6A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP67
Connector Type	2 Pin Heavy Duty Deutsch
Housing	Aluminium
Lens Construction	Polycarbonate
Bracket	Stainless Steel
Colour	4000K or 5700K
Lifespan	50,000 Hours
Net Weight	1.2kg
Beams Available	Combo
Warranty	5 Years


PART NUMBER / SRP	
Combo 4000K	RIK-FRXL/PX3-4 - \$749
Combo 5700K	RIK-FRXL/PX3 - \$749

Coming soon

- Ford Ranger XL XLS (2018 -2022) Integration Kit
- Ford Ranger Wild Track (2015 June to 2018 May) Integration Kit
- Ram 1500 DS Laramie (2018-2020) Integration Kit
- Ram 1500 DS Express (2018 – 2022) Integration Kit
- Ram 1500 DT Limited Laramie (2021) Integration Kit – **Coming Soon**
- Toyota Landcruiser LC200 Series (2015-2021 Integration Kit

As this list is always updating please check our website for updated availability.

620m  
USABLE LIGHT



Integration Kits



NITRO  
MAXX

## Performance that leads not follows

The best just got better with the release of the updated Nitro Maxx Range.

Get ready to light up the night as you take on any terrain and conditions to discover all the hidden gems that Australia has to offer...get off the tarmac or onto the rough stuff, from the sands of remote beaches to the mud of the wetlands or rocky mountain tracks, take it all on with performance that leads, not follows.

Thanks to recent breakthroughs in LED technology, combined with Ultra Vision's innovative Reflector design and registered Widr optic, the Nitro Maxx range offers the best distance and width currently available from any driving lights or lightbars on the market. Available in 2 colour temperatures and built to take on the toughest punishment and still produce premium performance, there's nothing that they can't handle. Made in Australia, for Australia and supplied with a 5-year warranty on lights and a lifetime warranty on bracketry; you can rely on Nitro Maxx to turn night into day.

Don't miss anything on your next adventure, find the perfect camping spot or get to that illusive lookout! Get the premium power you need from Nitro Maxx driving lights and light bars and let Ultra Vision light the way.



Image taken by Adam Edwards Photography

NITRO  
MAXX

**Now with improved performance.** The Nitro 80 Maxx driving lights include the sophisticated Contrl® optics, significantly increasing distance while the central Widr® optic provides approximately 170 Deg of width. The stainless steel mounting system makes adjustment simple but able to withstand high levels of vibration. Clear lens covers, a wiring harness and anti-theft nuts are all included.

Nitro 80 Maxx



## Specifications


Product	NITRO 80 MAXX DRIVING LIGHTS
Wattage	80 Watt (per light)
Light Source	19 High Power LED's (per light)
Light Output - Raw	19,475 Lumens (per pair)
Light Output - Effective	15,404 Lumens (per pair)
Voltage	9V - 36V
Current Draw	6.6A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP68
Connector Type	2 Pin Waterproof
Housing	Die Cast Alloy
Lens Construction	Polycarbonate
Bracket	3mm Stainless Steel
Colour	4500K or 5700K
Lifespan	50,000 Hours
Dimensions	170mm
Net Weight	1.3kgs (per light)
EMC Rating	CISPR 25 Class 3
Beams Available	Widr®
Warranty	5 Years
Harness included	Yes*

### PART NUMBER / SRP

Widr® - (BR)	PVM1890LEDW/PR - \$998
Widr® - (CR)	PVM1890LEDW-C/PR - \$1,108
Widr® - 4500K (BR)	PVM1890LEDW4/PR - \$998
Widr® - 4500K (CR)	PPVM1890LEDW4-C/PR - \$1,108


\*All prices per pair, (inc GST)

(BR) = Black Rim  
(CR) = Chrome Rim



80 Watt


1200m  
USABLE LIGHT



NITRO 80 MAXX DRIVING LIGHTS - P10


# NITRO MAXX

**Now with improved performance.** The NITRO 140 Maxx is the latest generation of high performance LED lighting. Utilising a sophisticated Contrl® optic the light usage is optimised to give width and distance from one reflector. The Widr® technology further increases the width, but still giving more than 1 lux at 1.6kms. The new slim body design allows for fitment to the majority of vehicles and the reduced weight further improves options. Utilising the proven stainless steel mounting bracket ensures years of trouble free life. Units are supplied complete with clear polycarbonate lens covers, wiring harness and anti-theft nuts.



140 Watt

**1600m**  
USABLE LIGHT



140 Maxx



## Specifications



PRODUCT	NITRO 140 MAXX DRIVING LIGHTS
Wattage	140 Watt (per light)
Light Source	19 x High Power LED's (per light)
Light Output - Raw	28,328 Lumens (per pair)
Light Output - Effective	22,520 Lumens (per pair)
Voltage	9-36V
Current Draw	10A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP68
Connector Type	2 Pin standard Deutsch
Housing	Die Cast Alloy
Lens Construction	Polycarbonate
Bracket	4mm Stainless Steel
Colour	4500K or 5700K
Lifespan	50,000 Hours
Dimensions	230mm
Net Weight	2.95kg (per light)
EMC Rating	CISPR 25 Class 3
Beams Available	Widr®
Warranty	5 Years
Harness included	Yes

PART NUMBER / SRP	
Widr® 5700K - (BR)	PVM2314LEDW/PR - \$1,439
Widr® 5700K - (CR)	PVM2314LEDW-C/PR - \$1,549
Widr® 4500K - (BR)	PVM2314LEDW4/PR - \$1,439
Widr® 4500K - (CR)	PVM2314LEDW4-C/PR - \$1,549
*All prices per pair, (inc GST)	

(BR) = Black Rim  
(CR) = Chrome Rim

# NITRO MAXX

**Now with Improved performance.** The Nitro 180 Maxx Driving Lights set an entirely new standard of performance for LED driving lights. Utilising the sophisticated Contrl® Optics the light output is optimised to give an unmatched penetrating beam. The Widr optic further increases the width of the beam by 72% than its previous design at 100m distance. In addition, a Hi/lo function reduces the overall power to 20% giving a wide even flood of light for more built up areas or when approaching traffic that is still a distance away. The Nitro 180 driving lights are the complete package, featuring a heavy duty wiring harness, anti-theft nuts, polycarbonate lens covers and the proven 4mm stainless steel tig welded bracket featuring a lifetime warranty you are set to take on anything that comes your way.



180 Maxx



## Specifications

PRODUCT	NITRO 180 MAXX DRIVING LIGHTS
Wattage	180 Watt (per light)
Light Source	19 x High Power LED's (per light)
Light Output - Raw	29,742 Lumens (per pair)
Light Output - Effective	23,065 Lumens (per pair)
Voltage	9-36V
Current Draw	13.7A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP68
Connector Type	3 Pin Heavy Duty Deutsch Plug
Housing	Die Cast Alloy
Lens Construction	Polycarbonate
Bracket	4mm Stainless Steel
Colour	4500K or 5700K
Lifespan	50,000 Hours
Dimensions	230mm
Net Weight	3.45kgs (per light)
EMC Rating	CISPR 25 Class 3
Beams Available	Widr®
Warranty	5 Years
Harness included	Yes

PART NUMBER / SRP	
Widr® 5700K - (BR)	PVM2318LEDW/PR - \$1,709
Widr® 5700K - (CR)	PVM2318LEDW-C/PR - \$1,829
Widr® 4500K - (BR)	PVM2318LEDW4/PR - \$1,709
Widr® 4500K - (CR)	PVM2318LEDW4-C/PR - \$1,829
*All prices per pair, (inc GST)	

(BR) = Black Rim  
(CR) = Chrome Rim

180 Watt

**2200m**  
USABLE LIGHT



Light Bars

Performance that leads, not follows

The Nitro light bars are our premium choice in high performance LED lighting. Featuring the Widr® optic for width and a Contrl® optic for distance, the Nitro Light Bar takes performance to another level. Both side and base mounts are available, ensuring that fitment is simple in any application.

A polycarbonate outer lens cover, complete wiring harness and anti-theft nuts are supplied with each light bar. Please specify base or side mounting at the time of ordering.

Chrome Rim light bars also available.


055




155



105



205




Specifications

PRODUCT	55 LIGHT BAR	105 LIGHT BAR	155 LIGHT BAR	205 LIGHT BAR
Wattage	50	100	150	200
Light Source	10 x 5W LED's	20 x 5W LED's	30 x 5W LED's	40 x 5W LED's
Light Output - Raw	6,160 Lumens	12,320 Lumens	18,480 Lumens	24,640 Lumens
Light Output - Effective	4,432 Lumens	8,865 Lumens	13,295 Lumens	17,724 Lumens
Voltage	9-36V	9-36V	9-36V	9-36V
Current Draw @ 13.5V	4A	8A	12A	15A
Operating Temp	-40°C to +80°C	-40°C to +80°C	-40°C to +80°C	-40°C to +80°C
Waterproof Rating	IP68	IP68	IP68	IP68
Connector Type	2 Pin std Deutsch	2 Pin std Deutsch	2 Pin std Deutsch	2 Pin std Deutsch
Housing	6063 T5 Aluminium	6063 T5 Aluminium	6063 T5 Aluminium	6063 T5 Aluminium
Lens Construction	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Bracket	Sliding Base / Side	Sliding Base / Side	Sliding Base / Side	Sliding Base / Side
Colour Temperature	4500K or 5700K	4500K or 5700K	4500K or 5700K	4500K or 5700K
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Diameter/Dimensions	185mm (7")	324mm (12.5")	465mm (18")	605mm (24")
Net Weight	1.1kg	1.9kg	2.5kg	3.4kg
EMC Rating	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3
Mounting Suitable	Base or Side mount	Base or Side mount	Base or Side mount	Base or Side mount
Beams Available	Combo WIDR	Combo WIDR	Combo WIDR	Combo WIDR
Warranty	5 Years	5 Years	5 Years	5 Years



Base or Side Mounts Available



PART NUMBER / SRP				
Widr 4500K	DVM055LEDBW4 - \$409	DVM105LEDBW4 - \$559	DVM155LEDBW4 - \$739	DVM205LEDBW4 - \$939
Widr 5700K	DVM055LEDBW - \$409	DVM105LEDBW - \$559	DVM155LEDBW - \$739	DVM205LEDBW - \$939
HI/LO 4500K	DVM055LEDBW4/3 - \$459	DVM105LEDBW4/3 - \$609	DVM155LEDBW4/3 - \$789	DVM205LEDBW4/3 - \$989
HI/LO 5700K	DVM055LEDBW/3 - \$459	DVM105LEDBW/3 - \$609	DVM155LEDBW/3 - \$789	DVM205LEDBW/3 - \$989



Light Bars


255




305



355




405



PRODUCT	255 LIGHT BAR	305 LIGHT BAR	355 LIGHT BAR	405 LIGHT BAR
Wattage	250	300	350	400
Light Source	50 x 5W LED's	60 x 5W LED's	70 x 5W LED's	80 x 5W LED's
Light Output - Raw	30,800 Lumens	36,960 Lumens	43,100 Lumens	48,800 Lumens
Light Output - Effective	22,175 Lumens	26,590 Lumens	31,580 Lumens	37,750 Lumens
Voltage	9-36V	9-36V	9-36V	9-36V
Current Draw @ 13.5V	18A	24A	26A	26A
Operating Temp	-40°C to +80°C	-40°C to +80°C	-40°C to +80°C	-40°C to +80°C
Waterproof Rating	IP68	IP68	IP68	IP68
Connector Type	2 Pin std Deutsch	2 Pin std Deutsch	2 Pin std Deutsch	2 Pin std Deutsch
Housing	6063 T5 Aluminium	6063 T5 Aluminium	6063 T5 Aluminium	6063 T5 Aluminium
Lens Construction	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Bracket	Sliding Base / Side	Sliding Base / Side	Sliding Base / Side	Sliding Base / Side
Colour Temperature	4500K or 5700K	4500K or 5700K	4500K or 5700K	4500K or 5700K
Lifespan	50,000 Hours	50,000 Hours	50,000 Hours	50,000 Hours
Diameter/Dimensions	745mm (30")	885mm (35")	1025mm (40")	1165mm (46")
Net Weight	4.3kg	5.3kg	6.9kg	7.7kg
EMC Rating	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3	CISPR 25 Class 3
Mounting Suitable	Base or Side mount	Base or Side mount	Base or Side mount	Base or Side mount
Beams Available	Combo WIDR	Combo WIDR	Combo WIDR	Combo WIDR
Warranty	5 Years	5 Years	5 Years	5 Years



Head to our website to see our Light Bar Brackets which suit most popular Roof Platform Systems.




PART NUMBER / SRP				
Widr 4500K	DVM255LEDBW4 - \$1,159	DVM305LEDBW4 - \$1,309	DVM355LEDBW4 - \$1,529	DVM405LEDBW4 - \$1,669
Widr 5700K	DVM255LEDBW - \$1,159	DVM305LEDBW - \$1,309	DVM355LEDBW - \$1,529	DVM405LEDBW - \$1,669
HI/LO 4500K	DVM255LEDBW4/3 - \$1,199	DVM305LEDBW4/3 - \$1,379	DVM355LEDBW4/3 - \$1,549	DVM405LEDBW4/3 - \$1,719
HI/LO 5700K	DVM255LEDBW/3 - \$1,199	DVM305LEDBW/3 - \$1,379	DVM355LEDBW/3 - \$1,549	DVM405LEDBW/3 - \$1,719

# NITRO MAXX

## Beam Patterns


Nitro Maxx 055

**650m**  
USABLE LIGHT




Nitro Maxx 105

**900m**  
USABLE LIGHT




Nitro Maxx 155

**1100m**  
USABLE LIGHT




Nitro Maxx 205

**1300m**  
USABLE LIGHT



Nitro Maxx 255

**1400m**  
USABLE LIGHT




# NITRO MAXX

## Beam Patterns


Nitro Maxx 305

**1600m**  
USABLE LIGHT




Nitro Maxx 355

**1700m**  
USABLE LIGHT



Nitro Maxx 405

**1800m**  
USABLE LIGHT



High performance all round driving light

Not every vehicle is designed for off-road use or has a bullbar. However, driving lights have evolved for this market making it difficult to fit them to standard vehicles without compromising the original style and compliance of the vehicle. This poses a problem for many drivers who need auxiliary lighting.

The Nitro Smart has been designed to give drivers the opportunity of improving visibility and safety whilst driving, without affecting the original image of your vehicle. Nitro Smart has been designed to be fitted directly into the Jeep Wrangler, but can also be integrated with other bullbars and bumpers to provide significantly more light output. A pair of these lamps will deliver 1 Lux at 500 metres from the driving light function.



Specifications

Product	NITRO SMART
Wattage	Fog = 8w & High equals 16W
Light Source	LED
Light Output - Effective	Fog = 1715 & High = 3451 Lumens
Voltage	9V-32V
Current Draw	4.4A @ 13.5V
Operating Temp	-40°C to +80°C
Waterproof Rating	IP67
Connector Type	8 PIN JST
Housing	Aluminium
Lens Construction	Polycarbonate
Bracket	Nylon
Colour	5700K
Lifespan	50,000 Hours
Dimensions	95mm
Net Weight	800g
EMC Rating	CISPR 25 Class 3
Beams Available	Fog & High beam
Warranty	5 Years



PART NUMBER / SRP	
Light Pair with Harness	SB90/KIT - \$549
Light Pair	SB90/PR - \$478
Single Light	SB90 - \$239
Wiring Harness	SB90SWH - \$75



Features include

- LED Driving Light
- Fog
- DRL
- Indicator

Direct replacement with Jeep Wrangler OEM fog lamp.



Designed and Manufactured in the Mallee.

Australia has always been the place where new innovations in agricultural technology have taken root. From the 19th century stump jump plough to the 21st century 60Ft header front, we have always found ways to make life on the land easier and more efficient. Today Ultra Vision Lighting is leading the way in LED lighting innovations for the agricultural sector. As a family owned manufacturing business in the Mallee, we understand the harsh regional environments. So we take great care in creating quality lights that are built to last.

Ultra Vision is proudly Made in Australia for Australia



# ATOM 25

ATOM LED work lamps have proved their high performance and rugged construction in some of the harshest environments. The ATOM 25W can cover a wide range of applications for lighting on small to medium tractors, harvester augers and work lamps on utes. The latest in our line-up of ATOM lights is the recessed ATOM 25 which can be used effectively as auxiliary reverse lighting. The ultra-high output leads to outstanding performance, despite its compact size.

## Work Lamp



### Specifications

PRODUCT	ATOM 25
Wattage	25 Watt
Light Source	6 x Hi-output LEDs
Light Output - Raw	2,900 Lumens
Light Output - Effective	2,328 Lumens
Voltage	9-36V
Current Draw	1A
Operating Temp	-40°C to +80°C
Waterproof Rating	IP69
Connector Type	2 Pin Deutsch
Housing	Die Cast Alloy
Lens Construction	Polycarbonate
Bracket	3mm Stainless Steel
Colour Temp	3000K, 4000K or 5700K
Lifespan	50,000 Hours
Dimensions	92 x 88 x 58mm
Net Weight	460g
EMC Rating	CISPR 25 Class 3
Mounting Suitable	Upright and Pendant
Beams Available	25 & 60 deg
Warranty	5 Years

PART NUMBERS / SRP	
Wide Flood 5700K (BRR)	DVA25LEDWF/RB - \$154
Wide Flood 5700K (CRR)	DVA25LEDWF/RC - \$154
Euro Beam 5700K (BRR)	DVA25LEDEU/RB - \$154
Euro Beam 5700K (CRR)	DVA25LEDEU/RC - \$154
Wide Flood 5700K (BR)	DVA25LEDWF/B - \$154
Wide Flood 5700K (CR)	DVA25LEDWF/C - \$154
Euro Beam 5700K (BR)	DVA25LEDEU/B - \$154
Euro Beam 5700K (CR)	DVA25LEDEU/C - \$154

(BRR) = Black Recessed Rim (BR) = Black Rim  
(CRR) = Chrome Recessed Rim (CR) = Chrome Rim

# ATOM 45

## Work Lamp




### Specifications

PRODUCT	ATOM 45
Wattage	45 Watt
Light Source	9 x 5w LED's
Light Output - Raw	5,250 Lumens
Light Output - Effective	4,180 Lumens
Voltage	10-36V
Current Draw	1.9A
Operating Temp	-40 to + 85 c
Waterproof Rating	IP69
Connector Type	2 Pin Deutsch
Housing	Die Cast Alloy
Lens Construction	Polycarbonate
Bracket	4mm Stainless Steel
Colour Temp	4000K or 5700K
Lifespan	50,000 Hours
Dimensions	125 x 122 x 91mm
Net Weight	1.4kg
EMC Rating	CISPR 25 Class 3
Mounting Suitable	Upright and Pendant
Beams Available	25 - 70 Deg
Warranty	5 Years


PART NUMBERS / SRP	
Wide Flood 4000K (BR)	DVA45LEDWF4 - \$309
Wide Flood 5700K (BR)	DVA45LEDWF - \$309
Euro Beam 4000K (BR)	DVA45LEDEU4 - \$309
Euro Beam 5700K (BR)	DVA45LEDEU - \$309

(BR) = Black Rim




### Beam Patterns

45 Watt Euro Beam  
**175m**  
USABLE LIGHT



45 Watt Wide Flood Beam  
**135m**  
USABLE LIGHT




### Beam Patterns

25 Watt Euro Beam  
**170m**  
USABLE LIGHT



25 Watt Wide Flood  
**70m**  
USABLE LIGHT



# ATOM 60

The ATOM 60 LED work lamp offers the latest in high powered LED technology, designed for use on larger ag machinery. Electronic Thermal management ensures a minimum of 50'000 working hours is achieved, even when used continuously. Utilising a 5mm stainless steel bracket with 145° of adjustment the ATOM 60 is one of the most versatile lamps available.

## Work Lamp




## Specifications

PRODUCT	ATOM 60
Wattage	60 Watt
Light Source	12 x 5W LED's
Light Output - Raw	7,595 Lumens
Light Output - Effective	5,925 Lumens
Voltage	9V-32V DC
Current Draw	2.5A
Operating Temp	-40°C to +85°C
Vibration	25G rms
IP Rating	IP69
Connector Type	Deutsch DT 2 Pin
Housing	Die-Cast Alloy
Lens Construction	Polycarbonate
Bracket	5mm S/Steel
Colour Temp	4000K or 5700K
Lifespan	50'000 Hours
Dimensions	156 x 138 x 99mm
Net Weight	2.5 kg
EMC Rating	CISPR 25 Class 3
Mounting Suitable	All types
Beams Available	25 - 70 Deg
Warranty	5 Years

PART NUMBERS / SRP	
Euro Beam 4000K (BR)	DVA60LEDEU4 - \$419
Euro Beam 5700K (BR)	DVA60LEDEU - \$419
Wide Flood 4000K (BR)	DVA60LEDWF4 - \$419
Wide Flood 5700K (BR)	DVA60LEDWF - \$419


(BR) = Black Rim



## Beam Patterns


60 Watt Euro Beam

**210m**  
USABLE LIGHT



60 Watt Wide Flood Beam

**120m**  
USABLE LIGHT



## Industry Specific Lighting

We understand that sometimes your industry requires a more specific light. At Ultra Vision Lighting we have a variety of lighting options to suit your agricultural requirements.

## Sprayer Blue LED Lamp

We manufacture a range of Blue LED work lights to suit various sprayer and misting applications.

**DVA25LEDBLUE – Atom 25 Blue LED - Euro Beam**  
Ideal for broadacre boom sprayers

**DVA25LEDBLUE/WF – Atom 25 Blue LED - Wide Flood**  
Ideal for orchid sprayers

Specifications are the same as Atom 25 on Pg19  
Sprayer Blue also available in Atom 45

## Beehive Red LED Lamp

We manufacture the Atom 25 LED range in Red LED for Beekeepers. The Red LED colour allows you to safely move beehives at night reducing the possibilities of upsetting the bees.

**DVA25LEDREDEU/B Atom 25 RED LED - Euro Beam**

**DVA25LEDREDWF/B Atom 25 RED LED – Wide Flood**

Specifications are the same as Atom 25 on Pg19

## Nut Harvest 3000K LED Lamp

Nut farm harvesting has a unique night-time dust. Our industry feedback has revealed the 3000K temperature will best suit the lighting application. Talk to a sales representative about an Ultra Vision 3000K work lamp to suit your harvesting application.





## OE Fitment Switches - Raptor & Nitro

- **SW900** Gun series Hilux, 150 Prado and 200 series **\$32**
- **SW900/3** Gun series Hilux, 150 Prado and 200 series hi/lo **\$39**
- **SW800** 2005-15 Kun Hilux, FJ, 100, 105, 76, 78 & 79 Cruiser and 120 Prado **\$32**
- **SW800/3** 2005-15 Kun Hilux, FJ, 100, 105, 76, 78 & 79 Cruiser and 120 Prado hi/lo **\$39**
- **SW600** Universal rocker switch **\$32**
- **SWF100** Ford Ranger PX series 1, BT50 2012 on **\$32**
- **SWF100/3** Ford Ranger PX series 1, BT50 2012 on Hi/Lo **\$39**
- **SWC100** Colorado, DMAX 2012 on **\$32**
- **SWN100** Pathfinder, R51, Navara, D40 Patrol, series 4-8, 2013 on, Xtrail T31 **\$32**
- **SWN200** Pathfinder, R52, Navara NP300, Xtrail T32 **\$32**
- **SWM100** ML, MN Triton & Pajero **\$32**
- **SWA100** Amarok **\$32**
- **SWM200** MQ, Triton, Mirage, LA Outlander, ZK Pajero QE **\$32**
- **SWT100** Prado 150 2108 Onwards On/Off Switch **\$55**
- **SWHL** Nitro Maxx Standard Hi/Lo Switch (suits Nitro 180 & Nitro Hi/Lo Light Bars) **\$32**
- **SW400** 2021 BT50, D-Max & MUX On/Off Switch **\$39**
- **SW400/3** 2021 BT50, D-Max & MUX Hi/Lo Switch **\$42**



## Tube Mount Brackets - Raptor & Nitro

Bar light bracket


- **PV50BKTB** 50mm black **\$27** (per pair)
- **PV50BKTS** 50mm silver **\$27** (per pair)
- **PV60BKTB** 60mm black **\$30** (per pair)
- **PV60BKTS** 60mm silver **\$30** (per pair)
- **PV64BKTB** 64mm black **\$32** (per pair)
- **PV64BKTS** 64mm silver **\$32** (per pair)
- **PV76BKTB** 76mm black **\$42** (per pair)
- **PV76BKTS** 76mm silver **\$42** (per pair)



## Patch Leads

- **UVP-CRUISER** Toyota 200 Series LC Driving Light Patch Lead **\$49**
- **UVP-DMAX** Isuzu D-Max Driving Light Patch Lead **\$49**
- **UVP-DMAXRG** Isuzu D-Max RG Driving Light Patch Lead **\$49**
- **UVP-FORTUNA** Toyota Fortuna Driving Light Patch Lead **\$49**
- **UVP-JIMNY** Suzuki Jimny Driving Light Patch Lead **\$49**
- **UVP-NAVARA** Nissan Navara NP300 Driving Light Patch Lead **\$49**
- **UVP-PAJERO** Nissan Pajero Driving Light Patch Lead **\$49**
- **UVP-PAJEROQE** Nissan Pajero QE Driving Light Patch Lead **\$49**
- **UVP-PATROLY62** Nissan Patrol Y62 Driving Light Patch Lead **\$49**
- **UVP-RANGER** Ford Ranger Driving Light Patch Lead **\$49**
- **UVP-COLORADO** Holden Colorado Driving Light Patch Lead **\$49**
- **UVP-AMAROK** Volkswagen Amarok Driving Light Patch Lead **\$49**
- **UVL-TRITONMQ** Mitsubishi Triton MQ Driving Light Patch Lead **\$49**
- **UVP-H4** - H4 Driving Light Patch Lead Adaptor **\$16**

## Authentic Accessories



## Full Length Brackets - Raptor

Full length bracket for raptor

- 30 **RAP030FLB** **\$40**
- 60 **RAP060FLB** **\$49**
- 90 **RAP090FLB** **\$59**
- 120 **RAP120FLB** **\$66**
- 180 **RAP180FLB** **\$85**
- 210 **RAP210FLB** **\$95**
- 240 **RAP240FLB** **\$99**



## Number Plate Brackets - Nitro

- Number plate bracket for Nitro 105 **DVM105NPM** **\$70**
- Number plate bracket for Nitro 155 **DVM155NPM** **\$95**



## Pentaforce Anti-Theft Bolts - Nitro

- Pentaforce side screws security kit to suit Nitro 140w **PV820AT** **\$65**
- Pentaforce side screws security kit to suit Nitro bars **PVN616AT** **\$50**

## Authentic Accessories



## Wiring Harnesses

Driving Light Harness

- **PVQ12HD** (2 plugs) **\$54**
- **NM180HD/3 HI/LO** (2 Plugs) **\$95**

Light Bar Harness

- **DV12H** (1 plug) **\$45**
- **DV12HD** (1 plug) **\$65**
- **DV12HD/3 HI/LO** (1 plug) **\$79**



## Anti Theft Nuts

- Anti theft nuts 6mm - for driving lights **PV6ATN** **\$27 Per unit**
- Anti theft nuts 8mm - for driving lights **PV8ATN** **\$27 Per unit**
- Anti theft nuts 10mm - for driving lights **PV10ATN** **\$27 Per unit**



## Number Plate Brackets - Raptor

- Number plate bracket for 60w black **RAP60NPMLWB** **\$70**
- Number plate bracket for 90w black **RAP90NPMLWB** **\$95**



**Australia's  
No 1 Manufacturer  
of LED Lighting for  
Extreme Environments**

**Contact Us Today**



**[sales@ultra-vision.com.au](mailto:sales@ultra-vision.com.au)**

**1800 66 55 66**

**[www.ultra-vision.com.au](http://www.ultra-vision.com.au)**